

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	4	(360/17.ccls.) and (((multiple many various two) near10 (side surfaces master disk disc)) same (alignment align\$4 alinement))	USPAT	OR	ON	2005/06/22 15:54
L2	1	((master and slave) and (imprint\$4 transfer\$4)) same (((multiple many various two) same (side surface master disk disc)) same (alignment align\$4 alinement))	JPO	OR	ON	2005/06/22 16:04
L3	1	((master and slave) and (imprint\$4 transfer\$4)) same (((multiple many various two) same (side surface master disk disc)) same (alignment align\$4 alinement))	DERWENT	OR	ON	2005/06/22 16:04
L4	9	(360/16.ccls.) and (((multiple many various two) same (side surfaces master disk disc)) same (alignment align\$4 alinement))	USPAT	OR	ON	2005/06/22 16:07
L6	11	(360/15.ccls.) and ((transfer\$5 imprint\$4 print\$4) same ((both many two various) near10 (side surfaces)) and ((disk disc master slave medium media) near10 (alignment align\$4 alinemen)))	USPAT	OR	ON	2005/06/22 16:14
L7	16	(360/16.ccls.) and ((transfer\$5 imprint\$4 print\$4) same ((both many two various) near10 (side surfaces)) and ((disk disc master slave medium media) near10 (alignment align\$4 alinemen)))	USPAT	OR	ON	2005/06/22 16:14
L8	16	(360/17.ccls.) and ((transfer\$5 imprint\$4 print\$4) same ((both many two various) near10 (side surfaces)) and ((disk disc master slave medium media) near10 (alignment align\$4 alinemen)))	USPAT	OR	ON	2005/06/22 16:14
L9	4	(360/15.ccls.) and ((transfer\$5 imprint\$4 print\$4) same ((both many two various) near10 (side surfaces)) and ((disk disc master slave medium media) near10 (alignment align\$4 alinemen)))	US-PGPUB	OR	ON	2005/06/22 16:14
L10	6	(360/16.ccls.) and ((transfer\$5 imprint\$4 print\$4) same ((both many two various) near10 (side surfaces)) and ((disk disc master slave medium media) near10 (alignment align\$4 alinemen)))	US-PGPUB	OR	ON	2005/06/22 16:14
L11	21	(360/17.ccls.) and ((transfer\$5 imprint\$4 print\$4) same ((both many two various) near10 (side surfaces)) and ((disk disc master slave medium media) near10 (alignment align\$4 alinemen)))	US-PGPUB	OR	ON	2005/06/22 16:15

L12	5	((transfer\$5 imprint\$4 print\$4) same ((both many two various) near10 (side surfaces)) and ((disk disc master slave medium media) near10 (alignment align\$4 alinemen)))	EPO	OR	ON	2005/06/22 16:15
L13	14	((transfer\$5 imprint\$4 print\$4) same ((both many two various) near10 (side surfaces)) and ((disk disc master slave medium media) near10 (alignment align\$4 alinemen)))	JPO	OR	ON	2005/06/22 16:15
L14	25	((transfer\$5 imprint\$4 print\$4) same ((both many two various) near10 (side surfaces)) and ((disk disc master slave medium media) near10 (alignment align\$4 alinemen)))	DERWENT	OR	ON	2005/06/22 16:15
L15	1	((transfer\$5 imprint\$4 print\$4) same ((both many two various) near10 (side surfaces)) and ((disk disc master slave medium media) near10 (alignment align\$4 alinemen)))	IBM_TDB	OR	ON	2005/06/22 16:15
S1	8	Kiminori near Sato	USPAT	OR	OFF	2005/06/17 09:02
S2	59	Hiroyuki near Yoshimura	USPAT	OR	OFF	2005/06/17 09:02
S3	18	Hiroyuki near Yoshimura	US-PGPUB	OR	OFF	2005/06/17 09:02
S4	376	Hiroyuki near Yoshimura	JPO	OR	OFF	2005/06/17 09:02
S5	184	Kiminori near Sato	JPO	OR	OFF	2005/06/17 09:02
S6	16	Kiminori near Sato	US-PGPUB	OR	OFF	2005/06/17 09:02
S7	46	(360/15.ccls.)	US-PGPUB	OR	OFF	2005/06/17 09:03
S8	22	(360/16.ccls.)	US-PGPUB	OR	OFF	2005/06/17 09:03
S9	68	(360/17.ccls.)	US-PGPUB	OR	OFF	2005/06/17 09:03
S10	399	(360/15.ccls.)	USPAT	OR	OFF	2005/06/17 09:03
S11	122	(360/16.ccls.)	USPAT	OR	OFF	2005/06/17 09:03
S12	174	(360/17.ccls.)	USPAT	OR	OFF	2005/06/17 09:03
S13	20	(360/15.ccls.) and ((transfer\$5 imprint\$4 print\$4) same (both near10 (side surfaces)))	USPAT	OR	ON	2005/06/22 16:12
S14	32	(360/16.ccls.) and ((transfer\$5 imprint\$4 print\$4) same (both near10 (side surfaces)))	USPAT	OR	ON	2005/06/17 09:05
S15	46	(360/17.ccls.) and ((transfer\$5 imprint\$4 print\$4) same (both near10 (side surfaces)))	USPAT	OR	ON	2005/06/22 12:29
S16	39	(360/17.ccls.) and ((transfer\$5 imprint\$4 print\$4) same (align\$5))	USPAT	OR	ON	2005/06/17 09:05
S17	31	(360/16.ccls.) and ((transfer\$5 imprint\$4 print\$4) same (align\$5))	USPAT	OR	ON	2005/06/17 09:05
S18	22	(360/15.ccls.) and ((transfer\$5 imprint\$4 print\$4) same (align\$5))	USPAT	OR	ON	2005/06/17 09:05

S20	92	(360/17.ccls.) and (((multiple many various two) near10 (side surfaces master disk disc))	USPAT	OR	ON	2005/06/22 12:30
S22	0	(360/17.ccls.) and (((multiple many various two) same (side surfaces master disk disc)) same ((alignment align\$4 alinement) near5 (mark limit pattern target)))	USPAT	OR	ON	2005/06/22 12:36
S23	0	(360/17.ccls.) and (((multiple many various two) same (side surfaces master disk disc)) same ((alignment align\$4 alinement) near10 (mark limit pattern target)))	USPAT	OR	ON	2005/06/22 12:36
S24	0	(360/17.ccls.) and (((multiple many various two) near10 (side surfaces master disk disc)) same ((alignment align\$4 alinement) near10 (mark limit pattern target)))	USPAT	OR	ON	2005/06/22 12:36
S25	12	(360/17.ccls.) and (((multiple many various two) same (side surfaces master disk disc)) same (alignment align\$4 alinement))	USPAT	OR	ON	2005/06/22 12:37
S27	15	(360/15.ccls.) and (((multiple many various two) same (side surfaces master disk disc)) same (alignment align\$4 alinement))	USPAT	OR	ON	2005/06/22 12:38
S28	0	((master and slave) and (imprint\$4 transfer\$4)) same (((multiple many various two) same (side surface master disk disc)) same (alignment align\$4 alinement))	EPO	OR	ON	2005/06/22 12:39
S29	45	((master and slave) and (imprint\$4 transfer\$4)) same (((multiple many various two) same (side surface master disk disc)) same (alignment align\$4 alinement))	USPAT	OR	ON	2005/06/22 12:39
S31	47	((master and slave) and (imprint\$4 transfer\$4)) same (((multiple many various two) same (side surface master disk disc)) same (alignment align\$4 alinement))	US-PGPUB	OR	ON	2005/06/22 12:40
S33	11	((master and slave) and (imprint\$4 transfer\$4)) same (((multiple many various two) same (side surface master disk disc)) same (alignment align\$4 alinement))	IBM_TDB	OR	ON	2005/06/22 12:40
S34	1	((master and slave) and (imprint\$4 transfer\$4)) same (((multiple many various two) same (side surface master disk disc)) same (alignment align\$4 alinement))	JPO	OR	ON	2005/06/22 12:42

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	3	("6721113" "6757116" "6813105"). pn.	USPAT	OR	OFF	2005/06/22 16:26
L7	1	"20020081018"	US-PGPUB	OR	OFF	2005/06/22 16:26
L8	1	"20040224458"	US-PGPUB	OR	OFF	2005/06/22 16:26


[Home](#) | [Login](#) | [Logout](#) | [Access Information](#) | [Alerts](#)

Welcome United States Patent and Trademark Office

Search Results

[BROWSE](#)[SEARCH](#)[IEEE XPLORE GUIDE](#)

Results for "(yoshimura h.<in>au)"

Your search matched 68 of 1174497 documents.

A maximum of 100 results are displayed, 25 to a page, sorted by Relevance in Descending order.

[» View Session History](#)[» New Search](#)[» Key](#)

IEEE JNL IEEE Journal or Magazine

IEEE JNL IEEE Journal or Magazine

IEEE CNF IEEE Conference Proceeding

IEEE CNF IEEE Conference Proceeding

IEEE STD IEEE Standard

Modify Search

(yoshimura h.<in>au)

☐ Check to search only within this results setDisplay Format: ☒ Citation ☐ Citation & Abstract

Select Article Information

View: 1

- | | |
|--------------------------|---|
| <input type="checkbox"/> | <p>1. Advanced metal evaporated tape for consumer digital VCRs (DV cassette)
 Naruse, H.; Sato, K.; Osaki, H.; Chiba, K.; Sasaki, T.; Yoshimura, H.;
 Consumer Electronics, IEEE Transactions on
 Volume 42, Issue 3, Aug. 1996 Page(s):851 - 859
 AbstractPlus References Full Text: PDF(1152 KB) IEEE JNL</p> |
| <input type="checkbox"/> | <p>2. Far-field analysis of fluctuating supermodes radiated from phase-locked array li
 Yoshimura, H.; Takai, N.; Asakura, T.;
 Quantum Electronics, IEEE Journal of
 Volume 30, Issue 2, Feb. 1994 Page(s):222 - 229
 AbstractPlus Full Text: PDF(572 KB) IEEE JNL</p> |
| <input type="checkbox"/> | <p>3. Calculation of optimum Cu/SC ratio to maximize superconductor stability
 Yoda, K.; Yoshimura, H.; Morita, M.;
 Magnetics, IEEE Transactions on
 Volume 27, Issue 3, May 1991 Page(s):3466 - 3467
 AbstractPlus Full Text: PDF(132 KB) IEEE JNL</p> |
| <input type="checkbox"/> | <p>4. Heater-induced quenches in a model field winding for the 70 MW class superconductor generator
 Yoshimura, H.; Ueda, A.; Morita, M.; Maeda, S.; Nagao, M.; Shimohata, K.; Matsuo, Y
 Yamada, T.; Tanaka, M.;
 Magnetics, IEEE Transactions on
 Volume 27, Issue 2, Mar 1991 Page(s):2088 - 2091
 AbstractPlus Full Text: PDF(244 KB) IEEE JNL</p> |
| <input type="checkbox"/> | <p>5. A 50-MHz CMOS geometrical mapping processor
 Yoshimura, H.; Nakanishi, T.; Yamauchi, H.;
 Circuits and Systems, IEEE Transactions on
 Volume 36, Issue 10, Oct. 1989 Page(s):1360 - 1364
 AbstractPlus Full Text: PDF(404 KB) IEEE JNL</p> |
| <input type="checkbox"/> | <p>6. Design of the high-T/sub c/ superconducting TF coil for the tight aspect ratio To reactor (VECTOR)
 Ando, T.; Nishio, S.; Yoshimura, H.;
 Applied Superconductivity, IEEE Transactions on
 Volume 14, Issue 2, June 2004 Page(s):1481 - 1484</p> |


[Home](#) | [Login](#) | [Logout](#) | [Access Information](#) | [Alerts](#)

Welcome United States Patent and Trademark Office

Search Results**BROWSE****SEARCH****IEEE XPLORE GUIDE**

Results for "(sato k.<in>au)"

Your search matched **750** of **1174497** documents.A maximum of **100** results are displayed, **25** to a page, sorted by **Relevance** in **Descending** order. [Email](#)» [View Session History](#)» [New Search](#)» [Key](#)

IEEE JNL IEEE Journal or Magazine

IEEE JNL IEEE Journal or Magazine

IEEE CNF IEEE Conference Proceeding

IEEE CNF IEEE Conference Proceeding

IEEE STD IEEE Standard

Modify Search

(sato k.<in>au)

☐ Check to search only within this results set**Display Format:** ☒ Citation ☐ Citation & Abstract**Select Article Information****View: 1-25 | 26-**

- | | |
|--------------------------|--|
| <input type="checkbox"/> | <p>1. More than 1000 channel optical frequency chain generation from single supercooled with 12.5 GHz channel spacing
 Takara, H.; Ohara, T.; Mori, K.; Sato, K.; Yamada, E.; Inoue, Y.; Shibata, T.; Abe, M.; K.-I.;
 Electronics Letters
 Volume 36, Issue 25, 7 Dec. 2000 Page(s):2089 - 2090
 AbstractPlus Full Text: PDF(184 KB) IEEE JNL</p> |
| <input type="checkbox"/> | <p>2. BSCCO/STO/BSCCO Structures by the MOD Method
 Iwasaki, H.; Machikawa, S.; Yufune, S.; Ishibashi, T.; Sato, K.;
 Applied Superconductivity, IEEE Transactions on
 Volume 15, Issue 2, June 2005 Page(s):3058 - 3061
 AbstractPlus Full Text: PDF(408 KB) IEEE JNL</p> |
| <input type="checkbox"/> | <p>3. Design and Experimental Results for Albany HTS Cable
 Masuda, T.; Yumura, H.; Watanabe, M.; Takigawa, H.; Ashibe, Y.; Suzawa, C.; Kato, S.;
 Sato, K.; Isojima, S.; Weber, C.; Dada, A.; Spadafore, J.R.;
 Applied Superconductivity, IEEE Transactions on
 Volume 15, Issue 2, June 2005 Page(s):1806 - 1809
 AbstractPlus Full Text: PDF(696 KB) IEEE JNL</p> |
| <input type="checkbox"/> | <p>4. Controlled Over Pressure Processing of Bi2223 Long Length Wires
 Kobayashi, S.; Kato, T.; Yamazaki, K.; Ohkura, K.; Fujino, K.; Fujikami, J.; Ueno, E.; A
 M.; Hayashi, K.; Sato, K.; Hata, R.;
 Applied Superconductivity, IEEE Transactions on
 Volume 15, Issue 2, June 2005 Page(s):2534 - 2537
 AbstractPlus Full Text: PDF(1056 KB) IEEE JNL</p> |
| <input type="checkbox"/> | <p>5. Full C-band external cavity wavelength tunable laser using a liquid-crystal-base
 De Merlier, J.; Mizutani, K.; Sudo, S.; Naniwae, K.; Furushima, Y.; Sato, S.; Sato, K.; I
 Photonics Technology Letters, IEEE
 Volume 17, Issue 3, Mar 2005 Page(s):681 - 683
 AbstractPlus Full Text: PDF(184 KB) IEEE JNL</p> |
| <input type="checkbox"/> | <p>6. A compact thin-film-based all-pass device for the compensation of the in-band c
 filters
 Jablonski, M.; Sato, K.; Tanaka, D.; Yaguchi, H.; Set, S.Y.; Furuki, K.; Yamada, K.; Bu</p> |